L Number	Hits	Search Text	DB	Time stamp
1	1260	((711/154,218).CCLS.) and @ad < "20010828"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 11:06
2	19	(((711/154,218).CCLS.) and @ad < "20010828") and (buffer same (read$3 adj pointer) same (writ$3 adj pointer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 11:15
3	4	(((711/154,218).CCLS.) and @ad < "20010828") and (buffer same (((non adj sequential$2) ("not" near3 sequential$2)) with (writ$3 access$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 11:22
4	112	(((711/154,218).CCLS.) and @ad < "20010828") and (buffer same ((((non adj sequential$2) ("not" near3 sequential$2)) random) with (writ$3 access$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 11:25
5	24	(((711/154,218).CCLS.) and @ad < "20010828") and (buffer same ((((non adj sequential$2) ("not" near3 sequential$2)) random) with writ$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 11:26
6	6	(((711/154,218).CCLS.) and @ad < "20010828") and (buffer same (wrap modulo circular$3)) same ((non adj sequential$2) random ((out "not") near (order$3 sequence)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 11:41
7	156	(((711/154,218).CCLS.) and @ad < "20010828") and (buffer same ((non adj sequential$2) random ((out "not") near (order$3 sequence))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 11:42
8	20	(((711/154,218).CCLS.) and @ad < "20010828") and (buffer same ((non adj sequential$2) ((out "not") near (order$3 sequence))) same (writ$3 access$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 12:49
9	577	((711/154,218).CCLS.) and @ad < "20010828") and (buffer same (manag$5 control$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 12:55
10	34	(((711/154,218).CCLS.) and @ad < "20010828") and (buffer same (manag$5 control$3)) and (read near2 pointer) and (write near2 pointer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 12:55
11	29	(((711/154,218).CCLS.) and @ad < "20010828") and (buffer same (manag$5 control$3)) and (read near2 pointer) same (write near2 pointer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 12:54
12	459	((711/154,218).CCLS.) and @ad < "20010828") and (buffer with (manag$5 control$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 14:31
13	25	(((711/154,218).CCLS.) and @ad < "20010828") and (buffer with (manag$5 control$3)) and (read near2 pointer) and (write near2 pointer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 15:24
14	490	(buffer with (manag$5 control$3)) same (read adj pointer) same (write adj pointer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 14:35

15	398	((buffer with (manag$5 control$3)) same (read adj pointer) same (write adj pointer)) and @ad < "20010828"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 16:52
16	28	(((buffer with (manag$5 control$3)) same (read adj pointer) same (write adj pointer)) and @ad < "20010828") and ((buffer queue) with insert$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 14:43
17	1150	choi.xa.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 15:25
18	0	choi-w.xa.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 15:25
19	1	choi-woo.xa.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 15:26
20	42	choi-woo$3.xa.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 15:26
21	7	(((buffer with (manag$5 control$3)) same (read adj pointer) same (write adj pointer)) and @ad < "20010828") and (gray adj code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 16:53
-	2	("20030046498").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 10:16
-	1791	(711/154,218).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 10:17
-	5	(((711/154,218).CCLS.) and @ad < "20010828") and (buffer same (wrap modulo circular$3)) same ((non adj sequential$2) random (out adj of adj order))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 11:39
-	517	(buffer same (wrap modulo circular$3)) same ((non adj sequential$2) random (out adj of adj order) with access$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 10:27
-	46	(buffer same (wrap modulo circular$3)) same (((non adj sequential$2) random (out adj of adj order) with access$3) same ((sequential$2 serial$2) with access))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 10:51
-	3	((buffer same (wrap modulo circular$3)) same (((non adj sequential$2) random (out adj of adj order) with access$3) same ((sequential$2 serial$2) with access))) and ((block sector segment base) address$2) with offset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 10:38
-	7	(buffer same ((non adj sequential$2) near2 writ$3) same ((sequential$2 serial) near read$3)) and @ad < "20010829"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 10:46

-	19	(buffer same ((non adj sequential$2) near5 writ$3) same ((sequential$2 serial) near5 read$3)) and @ad < "20010829"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 10:46
-	9	((buffer same ((non adj sequential$2) writ$3) same ((sequential$2 serial) near5 read$3)) and @ad < "20010829") and (address with (offset index))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 10:46
-	2	(buffer same ((wrap modulo circular$3) with (signal$3 flag$3 set$3 indicat$3)) same (((non adj sequential$2) random (out adj of adj order) with writ$3) same ((sequential$2 serial$2) with read$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 10:55
-	0	buffer same ((wrap modulo circular$3) with (signal$3 flag$3 set$3 indicat$3)) same (((non adj sequential$2) random (out adj of adj order)) with writ$3) same ((sequential$2 serial$2) with read$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 10:57
-	66	buffer same ((wrap modulo circular$3) with (signal$3 flag$3 set$3 indicat$3)) and (((non adj sequential$2) random (out adj of adj order)) with writ$3) and ((sequential$2 serial$2) with read$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 11:11
-	16	buffer same ((wrap modulo circular$3) with (signal$3 flag$3 set$3 indicat$3)) and ((((non adj sequential$2) random (out adj of adj order)) with writ$3) same ((sequential$2 serial$2) with read$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 10:59
-	13	(buffer same ((wrap modulo circular$3) with (signal$3 flag$3 set$3 indicat$3)) and ((((non adj sequential$2) random (out adj of adj order)) with writ$3) same ((sequential$2 serial$2) with read$3))) and @ad < "20010829"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 14:54
-	25	buffer same ((wrap modulo circular$3) with (signal$3 flag$3 set$3 indicat$3)) and (((non adj sequential$2) random (out adj of adj order)) near5 writ$3) and ((sequential$2 serial$2) near5 read$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 11:12
-	46	(buffer same ((wrap modulo circular$3 limit$ ceiling cap$3 boundary) with (signal$3 flag$3 set$3 indicat$3)) and ((((non adj sequential$2) random (out adj of adj order)) with writ$3) same ((sequential$2 serial$2) with read$3))) and @ad < "20010829"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 16:44
-	226	(buffer same ((((non adj sequential$2) random (out adj of adj order)) with writ$3) same ((sequential$2 serial$2) with read$3))) and @ad < "20010829"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 16:45
-	69	(buffer same ((((non adj sequential$2) random (out adj of adj order)) near3 writ$3) same ((sequential$2 serial$2) near3 read$3))) and @ad < "20010829"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 16:47
-	971	(buffer same (((non adj sequential$2) random (out adj of adj order)) near3 (writ$3 access$3 read$3)) same (offset index base)) and @ad < "20010829"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 16:49
-	605	(buffer same (((non adj sequential$2) random (out adj of adj order)) near3 (writ$3 access$3 read$3)) same ((offset index base block) with (address ponter))) and @ad < "20010829"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 16:53

-		9	(buffer same ((non adj sequential$2) near3 (writ$3 access$3 read$3)) same ((offset index base block) with (address ponter))) and @ad < "20010829"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 19:16
-		9	(buffer same (((non adj sequential$2) random) near3 writ$3) same ((sequential serial order$3) near3 read$3)) and (read near pointer) and (write near pointer) and @ad < "20010829"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 19:25
-		7	(buffer same (((non adj sequential$2) random) near3 writ$3) same (sequential near3 read$3)) and (read near pointer) and (write near pointer) and @ad < "20010829"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 19:26
-		54	(buffer same (FIFO circular)) and (((non adj sequential) random) near4 (writ$3 load$3)) and (write adj pointer) and (read adj pointer) and @ad < "20010829"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 20:13
-		2	(buffer same (FIFO circular)) same (((non adj sequential) random) near4 (writ$3 load$3)) same (write adj pointer) same (read adj pointer) and @ad < "20010829"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 20:15
-		1	(buffer same (FIFO circular)) same (((non adj sequential)) near4 (writ$3 load$3)) and (write adj pointer) and (read adj pointer) and @ad < "20010829"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 20:16
-		3	(buffer same (FIFO circular)) same (((non adj sequential)) near4 (writ$3 load$3)) and @ad < "20010829"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 20:16
-		4	(buffer same (FIFO circular ring)) same (((non adj sequential)) near4 (writ$3 load$3)) and @ad < "20010829"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 20:17
-		5	(buffer same (FIFO circular ring)) same ((((non "not") adj sequential$2)) near4 (writ$3 load$3)) and @ad < "20010829"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 20:18
-		5	(buffer same (FIFO circular ring)) same ((((non "not") near4 sequential$2)) near4 (writ$3 load$3)) and @ad < "20010829"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 20:18